


DOCU-PACK

GTO 52 ZP+

Conversion for Heidelberg GTO 52 ZP+



Docu-Pack: for the production of integrated label and/or cards by using the well known Heidelberg GTO 52 ZP+. Offering the great advantage of creating additional added value to the sheet finishing market, being able to capture the fast growing integrated card and label market and to convert it with high quality printing, or digital printing.

With a world wide proven production reliability of 8000 IPH (depending upon paper and foil material), and the possibility of a two-wide foil production with front-front or front and back patch application, this reliable system is an absolute winner !!!

DOCU-PACK

GTO 52 ZP+

Finishing System
for sheet production

Scratch-off

DOCU-PACK

GTO 52 ZP+

Applications

- Integrated-, membership-, business-, entrance- or fidelity cards
- Boxes-, packaging-, punch out-cards
- Name, luggage, price tags
- CD-/DVD-labels
- Parking permits, window stickers, insurance labels
- Flower- and plant sticks, garden sticks, price tags
- Door hanger, calendars, teasers, postcards, Christmas or birthday cards

Facts & Figures


- All sheet-feeding specifications as per GTO 52 ZP+
- One mechanical double-sheet detection for maximum feed reliability
- One precise perfecting device
- Two magnetic die-cutting shells for 0,96 mm (0.0378") die plates
- One center slitting capability for two wide production
- Computer & keyboard control for 4 foil positioning motors
- Two split waste rewind units for 4 foils
- Two double unwinds for 4 foils
- Two vacuum pumps
- Cutting in register option
- Anti-static
- Skip sheet program
- Four pure labelling capability (option)
- Motorized delivery belt

	Imperial	Metric
Max paper size (W x H)	20" 4/10 x 14" 1/6	520 x 360 mm
Min paper size (W x H)	7" x 5" 1/2	180 x 140 mm
Max paper thickness	0.018"	0,4 mm
Min paper weight	15 lbs	50 gsm
No paper processing gripper zone	0.315" - 0.393"	8 - 10 mm
Four roll unwinds	23" 1/2	600 mm
Four pneumatic unwind shafts with tension control	3"	76,2 mm
Variable cut length	1" - 7" 6/8	25 - 200 mm
Maximum mechanical speed	8000 IPH	8000 IPH
Total weight	6173 lbs	2800 Kg
Total overall size (L x W)	6,8 ft x 7,5 ft	2100 x 2300 mm
Electrical requirements	3 x 380 V + N	3 x 380 V + N

Dimensions and specifications subject to change without notice

DOCU-PACK

GTO 52 ZP+



DOCU-PACK

GTO 52 ZP+

creating additional added value to
the sheet finishing market



111 Atlantic Annex Point #2
Maitland
32751 Florida
USA
Ph +(407) 296-5880 International
Ph (800) 327-5676 Continental USA
F +(407) 296-588
sales@fme.com
www.fme.com



Die-Cutting



Integrated cards



Integrated labels



Labeling



Cutting in register



RFID technology



www.fme.com